



## Preventive Health Services for Adults

Below is a list of preventive services along with the diagnoses and procedure codes that Community Health Options has determined to meet or exceed the requirements and recommendations issues by the Affordable Care Act (ACA) as of the date this was last updated. This document will be updated periodically to reflect the most up-to-date requirements. Services may be subject to Prior Approval or other Medical Management criteria. **Updated 1/2/2019**

Preventive Services for Adults	Codes	ICD dx Codes	Gender	Age	Maximum
<b>Preventive Health Service for adults</b>	Codes	ICD10 Diagnosis Codes	Gender	Age	Maximum
<b>Abdominal Aortic Aneurysm one-time screening for men of specified ages who have ever smoked</b>	76706	Z87.891, Z00.00, F17.210, F17.211, F17.213, F17.218, F17.219	Male	65-75	1 per lifetime
<b>Alcohol Misuse screening and counseling</b>	99408, 99409	Z00.00, Z13.89	N/A	18 and over	N/A
<b>Aspirin use to prevent cardiovascular disease for men and women of certain ages</b>	COVERED UNDER E/M	N/A	Male Female	Age 45-79 Age 55-79	N/A
<b>High Blood Pressure screening in adults</b>	COVERED UNDER E/M		N/A	Age 18+	N/A
<b>Cholesterol screening for adults of certain age or at higher risk</b>	80061, 82465, 83718, 83719, 83721, 84478	Z00.00, Z00.01, Z13.220	Male Female	Male 35+ no ICD10 required Male 20-35 ICD10 required Female 20+ ICD10 required	N/A



<b>Colorectal Cancer Screening for adults over 50</b>	00810, 44388, 44389, 44392, 44393, 44394, 45300, 45305, 45308, 45309, 45315, 45320, 45330, 45331, 45332, 45333, 45338, 45339, 45341, 45342, 45378, 45380, 45381, 45383, 45384, 45385, 82270, 82272, 82274, 88304, 88305, 99152, 99153, 99156, 99157, G0104, G0105, G0106, G0120, G0121, G0122, G0328	Z00.00, Z00.01, Z12.0, Z12.10, Z12.11, Z12.12, Z12.13, Z12.79, Z12.89, Z12.9, Z80.0, Z80.9, Z83.71, Z83.79, Z85.00, Z85.038, Z85.048, Z86.010	N/A	50 and over	N/A
<b>Depression screening for adults</b>	G0444, 96127	Z13.89	N/A	Age 18+	N/A
<b>Diabetes (Type 2) screening for adults with high blood pressure</b>	82947, 82948, 82950, 82951, 82952, 83036	Z13.1	N/A	age 18+	N/A
<b>Diet counseling for adults at higher risk for chronic disease</b>	97802, 97803, 97804, S9470, 99401, 99403, 99404	Z724	N/A	Age 18+	N/A
<b>HIV screening for everyone ages 15-65, and other ages at increased risk</b>	86689, 86701, 86702, 86703, 87389, 87534, 87535, 87536, 87537, 87538, 87539, 87806,	N/A	N/A	N/A	N/A



	G0432, G0433, G0435, G0475				
<b>Immunization vaccines for adults-doses, recommended ages, and recommended populations may vary.</b>	90460, 90461, 90471, 90472, 90473, 90474	N/A	N/A	N/A	N/A
<b>Hepatitis A</b>	90632, 90633, 90634, 90636	N/A	N/A	N/A	N/A
<b>Hepatitis B</b>	90647, 90648, 90739, 90740, 90746, 90747, 90748	N/A	N/A	N/A	N/A
<b>Hepatitis C</b>	86803, G0472, 86804, 36415	N/A	N/A	2016: 50-71 2017: 51-72 2018: 52-73 2019: 53-74	1 Per lifetime @ 100%
<b>Herpes Zoster</b>	90736, 90750	N/A	N/A	Age 60+	N/A
<b>Human Papillomavirus</b>	90649, 90650, 90651	N/A	N/A	Ages 9-26	N/A
<b>Influenza (Flu Shot)</b>	90630, 90653, 90654-90664, 90666-90668, 90672-90674, 90682, 90685-90686, 90687-90688	N/A	N/A	N/A	N/A
<b>Measles, Mumps, Rubella</b>	90707, 90710	N/A	N/A	N/A	N/A
<b>Meningococcal</b>	90620, 90621, 90644, 90733, 90734	N/A	N/A	N/A	N/A



<b>Pneumococcal</b>	90670, 90732, 90733	N/A	N/A	N/A	N/A
<b>Tetanus, Diphtheria, Pertussis</b>	90696-90702, 90714, 90715, 90719-90723	N/A	N/A	N/A	N/A
<b>Varicella</b>	90716	N/A	N/A	N/A	N/A
<b>Obesity screening and counseling for all adults</b>	97802-97804	Z00.00, Z00.01, Z00.121, Z00.129, Z13.89	N/A	N/A	N/A
<b>Sexually Transmitted Infections (STI) prevention counseling for adults at higher risk</b>	99401-99404, G0445	N/A	N/A	N/A	N/A
<b>Syphilis screening for all adults at higher risk</b>	86592, 86593	O09.00, O09.01, O09.02, O09.03, O09.10, O09.11, O09.12, O09.13, O09.291, O09.292, O09.293, O09.299, O09.30, O09.31, O09.32, O09.33, O09.40, O09.41, O09.42, O09.43, O09.90, O09.91, O09.92, O09.93, Z11.2, Z11.3, Z33.1, Z34.00, Z34.01, Z34.02, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93	N/A	N/A	N/A



<b>Tobacco Use screening for all adults and cessation interventions for tobacco users</b>	99406, 99407	N/A	N/A	N/A	N/A
<b>Lung Cancer Screening</b>	G0297	"F17.200, F17.210, F17.211, F17.213, F17.218,			



Preventive Services for Women	Codes	ICD dx Codes	Gender	Age	Maximum
<b>Anemia screening on a routine basis for pregnant women</b>	85014, 85018	009.00, 009.01, 009.02, 009.03, 009.10, 009.11, 009.12, 009.13, 009.291, 009.292, 009.293, 009.299, 009.30, 009.31, 009.32, 009.33, 009.40, 009.41, 009.42, 009.43, 009.90, 009.91, 009.92, 009.93, Z33.1, Z34.00, Z34.01, Z34.02, Z34.03, Z3480, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93	N/A	N/A	N/A
<b>Breast Cancer Genetic Counseling and Testing (BRCA) for women at higher risk for breast cancer</b>	81211-81217, 81162	Z00.00, Z00.01, Z15.01, Z80.3, Z80.41, Z80.49, Z85.43	FEMALE	N/A	N/A
<b>Breast Cancer Mammography screenings every 1 to 2 years for women over 40</b>	G0202, G0279, 77061, 77062, 77063, 77067	N/A	FEMALE	40 AND OVER	1 PER YEAR



<b>Breast Cancer Chemoprevention counseling for women at higher risk</b>	99385-99387, 99395-99397, 99401-99404, 99411, 99412	Z80.3, Z80.41	FEMALE	N/A	N/A
<b>Breastfeeding comprehensive support and counseling from trained providers, and access to breastfeeding supplies, for pregnant and nursing women</b>	S9443, E0602, E0603, E0604, A4281-A4286 99502	Z39.1	FEMALE	N/A	N/A
<b>Cervical Cancer screening for sexually active women</b>	88141-88175, 87623, 87625, G0101, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148	Z00.00, Z00.01, Z01.411, Z01.419, Z01.42, Z11.51, Z12.4	FEMALE	N/A	
<b>Chlamydia Infection screening for younger women and other women at higher risk</b>	86631, 86632, 87110, 87270, 87320, 87485-87487, 87490-87492, 87810	Z00.00, Z00.01, Z11.3, Z11.8, Z11.9, Z20.2	FEMALE	N/A	N/A
<b>Contraception: Food and Drug Administration approved contraceptives methods, sterilization procedures, and patient education and</b>	STERILIZATION - 58565, 58600, 58605, 58611, 58615, 58670, 58671, A4264  CONTRACEPTIVES - 57170, A4261, A4266, J7296, J7297, J7298,	Z30.011, Z30.013, Z30.014, Z30.018, Z30.019, Z30.012, Z30.09, Z30.430, Z30.431, Z30.432, Z30.433, Z30.40, Z30.41, Z30.42, Z30.49, Z30.8, Z30.9, Z30.2,	FEMALE	N/A	N/A



<p><b>counseling as prescribed by a health care provider for women with reproductive capacity (not including abortifacient drugs). This does not apply to health plans sponsored by certain exempt "religious employers."</b></p>	<p>J7300, J7301, J7307, J1050, 11976, 11981, 11982, 11983, 58300, 58301, S4981, S4989, 96372</p> <p>Anesthesia - 00851, 00940, 00942, 00950, 00952, 01960, 01961, 01965, 01966, 01967, 01968</p>	<p>Z30.015, Z30.016, Z30.017, Z30.44, Z30.45, Z30.46, Z31.7</p>			
<p><b>Domestic and interpersonal violence screening and counseling for all women</b></p>	<p>COVERED UNDER E/M</p>	<p>N/A</p>	<p>N/A</p>	<p>N/A</p>	<p>N/A</p>
<p><b>Folic acid supplementation for women who may become pregnant</b></p>	<p>pharmacy vendor</p>	<p>N/A</p>	<p>N/A</p>	<p>N/A</p>	<p>N/A</p>
<p><b>Gestational diabetes screening for women 24-28 weeks pregnant and those at high risk of developing gestational diabetes</b></p>	<p>82947, 82948, 82950, 82951, 82952, 83036</p>	<p>O09.00, O09.01, O0.902, O09.03, O09.10, O09.11, O09.12, O09.13, O09.291, O09.292, O09.293, O09.299, O09.30, O09.31, O09.32, O09.33,</p>	<p>FEMALE</p>	<p>N/A</p>	<p>N/A</p>





		009.40, 009.41, 009.42, 009.43, 009.90, 009.91, 009.92, 009.93, Z33.1, Z34.00, Z34.01, Z34.02, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93, O16.5, O24.415, O24.425			
<b>Gonorrhea screening          for all women at          higher risk</b>	87590, 87591, 87592, 87850	009.00, 009.01, 00.902, 009.03, 009.10, 009.11, 009.12, 009.13, 009.291, 009.292, 009.293, 009.299, 009.30, 009.31, 009.32, 009.33, 009.40, 009.41, 009.42, 009.43, 009.90, 009.91, 009.92, 009.93, Z33.1, Z34.00, Z34.01, Z34.02, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93, O16.5, O24.415, O24.425	FEMALE	N/A	N/A



<b>Hepatitis B screening for pregnant women at their first prenatal visit</b>	86706, 87340, 87341, 87515, 87516, 87517	009.00, 009.01, 00.902, 009.03, 009.10, 009.11, 009.12, 009.13, 009.291, 009.292, 009.293, 009.299, 009.30, 009.31, 009.32, 009.33, 009.40, 009.41, 009.42, 009.43, 009.90, 009.91, 009.92, 009.93, Z33.1, Z34.00, Z34.01, Z34.02, Z34.03, Z34.80, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93, O16.5, O24.415, O24.425	FEMALE	N/A	N/A
<b>HIV screening and counseling for sexually active women</b>	86689, 86701, 86702, 86703, 87389, 87534, 87535, 87536, 87537, 87538, 87539, G0432, G0433, G0435	N/A	N/A	N/A	N/A
<b>Human Papillomavirus (HPV) DNA Test every 3 years for women with normal cytology results who are 30 or older</b>	87620-87622, 87623-87625	Z00.00, Z00.01, Z01.411, Z01.419, Z01.42, Z11.51, Z12.4	FEMALE	N/A	1 every 3 years



<b>Osteoporosis screening for women over age 60 depending on risk factors</b>	76977, 77080, 77081, 77082, G0130	Z82.62, Z00.00, Z00.01, Z13.820	FEMALE	60 AND OVER	N/A
<b>Rh Incompatibility screening for all pregnant women and follow-up testing for women at higher risk</b>	86901	O09.00, O09.01, O09.02, O09.03, O09.10, O09.11, O09.12, O09.13, O09.291, O09.292, O09.293, O09.299, O09.30, O09.31, O09.32, O09.33, O09.40, O09.41, O09.42, O09.43, O09.90, O09.91, O09.92, O09.93, Z33.1, Z34.00, Z34.01, Z34.02, Z34.03, Z3480, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93	FEMALE	N/A	N/A
<b>Sexually Transmitted Infections counseling for sexually active women</b>	99401-99404, G0445	N/A	N/A	N/A	N/A
<b>Syphilis screening for all pregnant women or other women at increased risk</b>	86592, 86593	O09.00, O09.01, O09.02, O09.03, O09.10, O09.11, O09.12, O09.13, O09.291, O09.292, O09.293, O09.299,	N/A	N/A	N/A



		009.30, 009.31, 009.32, 009.33, 009.40, 009.41, 009.42, 009.43, 009.90, 009.91, 009.92, 009.93, Z33.1, Z34.00, Z34.01, Z34.02, Z34.03, Z3480, Z34.81, Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93			
<b>Tobacco Use screening and interventions for all women, and expanded counseling for pregnant tobacco users</b>	99406, 99407, G0436, G0437	N/A	N/A	N/A	N/A
<b>Urinary tract or other infection screening for pregnant women</b>	81007	009.00, 009.01, 009.02, 009.03, 009.10, 009.11, 009.12, 009.13, 009.291, 009.292, 009.293, 009.299, 009.30, 009.31, 009.32, 009.33, 009.40, 009.41, 009.42, 009.43, 009.90, 009.91, 009.92, 009.93, Z33.1, Z34.00, Z34.01, Z34.02, Z34.03, Z3480, Z34.81,	N/A	N/A	N/A



		Z34.82, Z34.83, Z34.90, Z34.91, Z34.92, Z34.93			
<b>Well-woman visits to get recommended services for women under 65</b>	99381-99387, 99391-99397, G0402, G0438, G0439		N/A	N/A	1 PER YEAR



Preventive Services for Children	Codes	ICD dx Codes	Gender	Age	Maximum
<b>Autism screening for children at 18 and 24 months</b>	96110	Z00.00, Z00.01, Z00.121, Z00.129, Z13.220	N/A	1-2 YEARS	N/A
<b>Behavioral assessments for children at the following ages: 0-11 months, 1-4 years, 5-10 years, 11-14 years, 15-17 years</b>	included with E&M 96127	N/A	N/A	N/A	N/A
<b>Blood Pressure screening for children at the following ages: 0-11 months, 1-4 years, 5-10 years, 11-14 years, 15-17 years</b>	included with E&M 96127	N/A	N/A	N/A	N/A
<b>Cervical Dysplasia screening for sexually active females</b>	88141-88175, 87620-87621, 87623, G0101, G0123, G0124, G0141, G0143, G0144, G0145, G0147, G0148	Z00.00, Z00.01, Z01.411, Z01.419, Z01.42, Z11.51, Z12.4	FEMALE	N/A	
<b>Depression screening for adolescents</b>	G0444 99420	Z13.89	N/A	N/A	N/A
<b>Developmental screening for children under age 17</b>	96110	Z00.00, Z00.01, Z00.121, Z00.129, Z13.220	N/A	0 - 17 years	N/A



<b>Dyslipidemia screening for children at higher risk of lipid disorders at the following ages: 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years.</b>	80061, 82465, 83718, 83719, 83721, 84478	Z00.00, Z00.01, Z00.121, Z00.129, Z13.220	N/A	0-18 years	N/A
<b>Fluoride Chemoprevention supplements for children without fluoride in their water source</b>	COVERED UNDER E/M or OBTAINED AT PHARMACY	N/A	N/A	N/A	N/A
<b>Gonorrhea preventive medication for the eyes of all newborns</b>	pharmacy benefit or provided in hospital at birth	N/A	N/A	N/A	N/A
<b>Hearing screening for all newborns</b>	V5008, 92551, 92558, 92585, 92586, 92587, 92588	N/A	N/A	0 - 90 DAYS	N/A
<b>Height, Weight and Body Mass Index measurements for children at the following ages: 0 to 11 months, 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years.</b>	included with E&M	N/A	N/A	N/A	N/A
<b>Hematocrit or Hemoglobin screening for children</b>	85014, 85018	Z00.00, Z00.01, Z00.121, Z00.129, Z13.220	N/A	N/A	N/A



<b>Hemoglobinopathies or sickle cell screening for newborns</b>	S3850, 83020, 83021, 83030, 83033, 83051	N/A	N/A	0 - 90 DAYS	N/A
<b>HIV screening for adolescents at higher risk</b>	86689, 86701, 86702, 86703, 87389, 87534, 87535, 87536, 87537, 87538, 87539, G0432, G0433, G0435	N/A	N/A	N/A	N/A
<b>**Hypothyroidism screening for newborns</b>	84437, 84443	N/A	N/A	0 - 90 DAYS	N/A
<b>Immunization vaccines for children from birth to age 18 —doses, recommended ages, and recommended populations vary:</b>	90460, 90461, 90471, 90472, 90473, 90474	N/A	N/A	N/A	N/A
<b>Iron supplements for children ages 6 to 12 months at risk for anemia</b>	PHARMACY BENEFIT	N/A	N/A	N/A	N/A
<b>Lead screening for children at risk of exposure</b>	83655	Z00.00, Z00.01, Z00.121, Z00.129, Z13.88, Z77.011	N/A	N/A	N/A
<b>Medical History for all children throughout development at the following ages: 0 to 11 months, 1 to 4 years ,</b>	included with E&M	N/A	N/A	N/A	N/A





<b>5 to 10 years , 11 to 14 years , 15 to 17 years.</b>					
<b>Obesity screening and counseling</b>	97802-97804	Z00.00, Z00.01, Z00.121, Z00.129, Z13.89	N/A	N/A	N/A
<b>Oral Health risk assessment for young children Ages: 0 to 11 months, 1 to 4 years, 5 to 10 years.</b>	PEDIATRIC DENTAL PROGRAM	N/A	N/A	N/A	N/A
<b>Phenylketonuria (PKU) screening for this genetic disorder in newborns</b>	S3620, 84030	N/A	N/A	0-1	N/A
<b>Sexually Transmitted Infection (STI) prevention counseling and screening for adolescents at higher risk</b>	99401-99404, G0445	N/A	N/A	N/A	N/A
<b>Tuberculin testing for children at higher risk of tuberculosis at the following ages: 0 to 11 months, 1 to 4 years, 5 to 10 years, 11 to 14 years, 15 to 17 years.</b>	86580	R76.11, R76.12, Z00.121, Z00.129, Z11.1	N/A	N/A	N/A



<b>Vision screening for all children.</b>	99172, 99173	Z00.00, Z00.01, Z00.121, Z00.129, Z13.220	N/A	1 yr to 5 yrs	N/A
---	--------------	---	-----	---------------	-----